





Targets:	4 IPSC Targets, 2 IPSC poppers, 2 IPSC plates
Minimum number of rounds:	12
	Standing erect anywhere, with the firearm in the ready condition, held in both hands,
	stock touching the competitor at hip level, barrel parallel to the ground, trigger guard
Start position:	downwards, muzzle pointing downrange with the fingers outside the trigger guard.
	Lying on the table, Loaded (Option 2): magazine filled and fitted (if applicable),
The Firearm Ready Condition:	chamber empty and the action closed.
Time starts:	Audible
	After start signal engage all the targets from designated area. IP1 activate target T1.
Procedure:	All moving targets stays visible at end of their movement.
Safety angles:	90 degrees left/right and top of the backstop








Targets:	7 IPSC Targets, 1 IPSC Popper, 1 IPSC plate
Minimum number of rounds :	16
	Standing erect at marks as RO demonstrate, with the firearm in the ready condition,
	held in both hands, stock touching the competitor at hip level, barrel parallel to the
	ground, trigger guard downwards, muzzle pointing downrange with the fingers outside
Start position:	the trigger guard.
	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer
The Firearm Ready Condition:	and/or sear cocked and safety catch applied
Time start:	Audible
	After start signal engage all the targets from designated area. IP1 activate target MP1.
Procedure:	All moving targets stays visible at end of their movement
Safety angles:	90 degrees left/right and top of the backstop








Targets:	8 IPSC Targets, 1 IPSC popper
Minimum number of rounds:	17
	Standing erect anywhere, with the firearm in the ready condition, held in both hands,
	stock touching the competitor at hip level, barrel parallel to the ground, trigger guard
Start position:	downwards, muzzle pointing downrange with the fingers outside the trigger guard.
	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer
The Firearm Ready Condition:	and/or sear cocked and safety catch applied
Time start:	Audible
	After start signal engage all the targets from designated area. IP1 activate target T1/T2.
Procedure:	All moving targets stays visible at end of their movement
Safety angles:	90 degrees left/right and top of the backstop








Targets:	5 IPSC Targets, 2 IPSC poppers
Minimum number of rounds :	12
	Standing erect anywhere within designated area, with the firearm in the ready
	condition, held in both hands, stock touching the competitor at hip level, barrel
	parallel to the ground, trigger guard downwards, muzzle pointing downrange with the
Start position:	fingers outside the trigger guard.
	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer
The Firearm Ready Condition:	and/or sear cocked and safety catch applied
Time start:	Audible
	After start signal engage all the targets from designated area. IP1 activate target T1.
Procedure:	All moving targets stays visible at end of their movement
Safety angles:	90 degrees left/right and top of the backstop








Targets:	7 IPSC Targets, 1 IPSC popper, 1 IPSC metal plate
Minimum number of rounds :	16
	Standing erect anywhere within designated area, with the firearm in the ready
	condition, held in both hands, stock touching the competitor at hip level, barrel
	parallel to the ground, trigger guard downwards, muzzle pointing downrange with the
Start position:	fingers outside the trigger guard.
	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer
The Firearm Ready Condition:	and/or sear cocked and safety catch applied
Time start:	Audible
	After start signal engage all the targets from designated area. IP1 activate target T1.
Procedure:	All moving targets stays visible at end of their movement
Safety angles:	90 degrees left/right and top of the backstop








Targets:	5 IPSC Targets, 2 IPSC poppers
Minimum number of rounds :	12
	Standing erect at marks as RO demonstrate, with the firearm in the ready condition,
	held in both hands, stock touching the competitor at hip level, barrel parallel to the
	ground, trigger guard downwards, muzzle pointing downrange with the fingers outside
Start position:	the trigger guard.
	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer
The Firearm Ready Condition:	and/or sear cocked and safety catch applied
Time start:	Audible
	After start signal engage all the targets from designated area. IP1 activate target T1.
Procedure:	All moving targets stays visible at end of their movement
Safety angles:	90 degrees left/right and top of the backstop








Targets:	5 IPSC Targets, 1 IPSC popper, 1 IPSC metal plate
Minimum number of rounds :	12
	Standing erect anywhere within designated area, with the firearm in the ready
	condition, held in both hands, stock touching the competitor at hip level, barrel
	parallel to the ground, trigger guard downwards, muzzle pointing downrange with the
Start position:	fingers outside the trigger guard.
	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer
The Firearm Ready Condition:	and/or sear cocked and safety catch applied
Time start:	Audible
	After start signal engage all the targets from designated area. IP1 activates target T1.
Procedure:	All moving targets stays visible at end of their movement
Safety angles:	90 degrees left/right and top of the backstop








Targets:	10 IPSC Targets, 3 IPSC poppers
Minimum number of rounds :	23
	Standing erect anywhere, with the firearm in the ready condition, held in both hands,
	stock touching the competitor at hip level, barrel parallel to the ground, trigger guard
Start position:	downwards, muzzle pointing downrange with the fingers outside the trigger guard.
	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer
The Firearm Ready Condition:	and/or sear cocked and safety catch applied
Time start:	Audible
	After start signal engage all the targets from designated area. IP1 activate target T1. T2
Procedure:	activate T2. All moving targets stays visible at end of their movement.
Safety angles:	90 degrees left/right and top of the backstop








Targets:	4 IPSC Targets, 2 IPSC poppers, 2 IPSC metal plates
Minimum number of rounds :	12
	Standing erect as RO demonstrate, with the firearm in the ready condition, held in
	both hands, stock touching the competitor at hip level, barrel parallel to the ground,
	trigger guard downwards, muzzle pointing downrange with the fingers outside the
Start position:	trigger guard.
	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer
The Firearm Ready Condition:	and/or sear cocked and safety catch applied
Time start:	Audible
	After start signal engage all the targets from designated area. IP1 activate target MP1.
Procedure:	All moving targets stays visible at end of their movement
Safety angles:	90 degrees left/right and top of the backstop







Targets:	11 IPSC Targets, 1 IPSC popper, 1 IPSC metal plate
Minimum number of rounds :	24
	Standing erect as RO demonstrate, with the firearm in the ready condition, held in
	both hands, stock touching the competitor at hip level, barrel parallel to the ground,
	trigger guard downwards, muzzle pointing downrange with the fingers outside the
Start position:	trigger guard.
	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer
The Firearm Ready Condition:	and/or sear cocked and safety catch applied.
Time start:	Audible
	After start signal engage all the targets from designated area. IP1 activate target T1. All
Procedure:	moving targets stays visible at end of their movement
Safety angles:	90 degrees left/right and top of the backstop








Stage 11

Targets:	5 IPSC Targets, 1 IPSC popper, 1 IPSC metal plate
Minimum number of rounds :	12
	Standing erect anywhere, with the firearm in the ready condition, held in both hands,
	stock touching the competitor at hip level, barrel parallel to the ground, trigger guard
Start position:	downwards, muzzle pointing downrange with the fingers outside the trigger guard.
	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer
The Firearm Ready Condition:	and/or sear cocked and safety catch applied
Time start:	Audible
	After start signal engage all the targets from designated area. IP1 activate target T1.
Procedure:	All moving targets stays visible at end of their movement
Safety angles:	90 degrees left/right and top of the backstop











Targets:	13 IPSC Targets, 3 IPSC poppers
Minimum number of rounds :	29
	Standing erect anywhere within designated area, with the firearm in the ready
	condition, held in both hands, stock touching the competitor at hip level, barrel
	parallel to the ground, trigger guard downwards, muzzle pointing downrange with the
Start position:	fingers outside the trigger guard.
	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer
The Firearm Ready Condition:	and/or sear cocked and safety catch applied
Time start:	Audible
	After start signal engage all the targets from designated area. IP1 activate target T1.
Procedure:	IP2 activate T2. All moving targets stays visible at end of their movement.
Safety angles:	90 degrees left/right and top of the backstop








Targets:	4 IPSC Targets, 2 IPSC poppers, 2 IPSC metal plate
Minimum number of rounds:	12
Start position:	Sitting at chair as RO demonstrate
	Loaded (Option 2): magazine filled and fitted (if applicable), chamber empty and the
The Firearm Ready Condition:	action closed.
Time start:	Audible
	After start signal engage all the targets from designated area. IP1 activate target T1.
Procedure:	All moving targets stays visible at end of their movement
Safety angles:	90 degrees left/right and top of the backstop







Targets:	5 IPSC Targets, 2 IPSC poppers
Minimum number of rounds :	12
	Standing erect anywhere, with the firearm in the ready condition, held in both hands,
	stock touching the competitor at hip level, barrel parallel to the ground, trigger guard
Start position:	downwards, muzzle pointing downrange with the fingers outside the trigger guard.
	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer
The Firearm Ready Condition:	and/or sear cocked and safety catch applied
Time start:	Audible
	After start signal engage all the targets from designated area. Platform activate target
Procedure:	T1. All moving targets stays visible at end of their movement
Safety angles:	90 degrees left/right and top of the backstop







Targets:	9 IPSC Targets, 1 IPSC popper, 2 IPSC metal plates
Minimum number of rounds :	21
	Standing erect anywhere within designated area, with the firearm in the ready
	condition, held in both hands, stock touching the competitor at hip level, barrel
	parallel to the ground, trigger guard downwards, muzzle pointing downrange with the
Start position:	fingers outside the trigger guard.
	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer
The Firearm Ready Condition:	and/or sear cocked and safety catch applied
Time start:	Audible
	After start signal engage all the targets from designated area. IP1 activate target
Procedure:	MP1/2. All moving targets stays visible at end of their movement.
Safety angles:	90 degrees left/right and top of the backstop







Targets:	13 IPSC Targets, 3 IPSC poppers, 2 IPSC metal plates
Minimum number of rounds :	31
	Standing erect anywhere within designated area, with the firearm in the ready
	condition, held in both hands, stock touching the competitor at hip level, barrel
	parallel to the ground, trigger guard downwards, muzzle pointing downrange with the
Start position:	fingers outside the trigger guard.
	Loaded (Option 1): magazine filled and fitted (if applicable), chamber loaded, hammer
The Firearm Ready Condition:	and/or sear cocked and safety catch applied
Time start:	Audible
	After start signal engage all the targets from designated area. IP1 activate target T1.
Procedure:	All moving targets stays visible at end of their movement.
Safety angles:	90 degrees left/right and top of the backstop

